

SNOWSTRIKER™ 1650–2600 SP/VP



SNOWSTRIKER™ 1650–2600 STRAIGHT BLADE & V-PLOW FOR PICKUPS

The **SnowStriker™ 1650–2600 SP/VP straight blade and V-plow for pickups** is the first plow of its kind built in Europe. The **Hilltip Quick Hitch** mount makes this easy on-and-off snowplow compatible with most pickups and SUVs on the market.

PLOW DESIGN

The curved, powder-coated blade is made of high-strength steel, which in this case is the key to our durable but light plow. Two segmented cutting edge with trip springs protects the plow and vehicle from impact when hitting obstacles. The cutting edge is available in polyurethane or steel.



SnowStriker™ straight blade plow



SnowStriker™ V-plow

SNOWSTRIKER™ 1650–2600 SP/VP



Hilltip Quick hitch - lift shoe handle to attach your plow to the vehicle



Cutting edge with trip springs



Joystick for V-plow



6° tilt angle

STANDARD FEATURES

- ✓ Cutting edge in two segments with trip springs protects the plow and vehicle when striking curbs or other obstacles. The trip springs on one side of the cutting edge will be compressed when hitting an obstacle, while the other cutting edge segment stays on the ground.
- ✓ Adjustable attacking angle
- ✓ Down-pressure function presses the plow down for a cleaner scrape
- ✓ High performance 12V power unit inside enclosed housing
- ✓ Light tower with LED headlights
- ✓ LED edge-markers
- ✓ Curved blade for optimal snow-rolling effect
- ✓ Hilltip Quick Hitch mounting system - fast and easy plow-attachment to car, with all-in-one electrical plug
- ✓ Blade tilts and oscillates while plowing on uneven ground for a cleaner scrape (6°)
- ✓ Self-diagnostic in-cabin joystick

OPTIONAL FEATURES

- + Color-options: orange snowplow
- + HTrack™ 2-way online tracking system (only if used with IceStriker™ spreader/SprayStriker™ sprayer)
- + Poly snow deflector will help keep the snow off your windshield
- + Various plow cutting edges
- + Plow shoe kit
- + Plow wheel kit
- + 24V plow control & motor system
- + 48V plow control & motor system

SNOWSTRIKER™ SPECIFICATIONS




SNOWSTRIKER™ 1650-2600 SP

MODEL	1650 SP	1850 SP	2100 SP	2250 SP	2400 SP	2600 SP
Width	165 cm	185 cm	210 cm	225 cm	240 cm	260 cm
Width (fully angled)	140 cm	160 cm	185 cm	200 cm	215 cm	235 cm
Height	55 cm	55 cm	55 cm	55 cm	55 cm	65 cm
Weight	128 kg	135 kg	140 kg	145 kg	160 kg	180 kg
Trip springs	4	6	6	6	8	8



SNOWSTRIKER™ 1650-2600 VP

MODEL	1650 VP	1850 VP	2100 VP	2250 VP	2400 VP	2600 VP
Width	165 cm	185 cm	210 cm	225 cm	240 cm	260 cm
Width (fully angled)	145 cm	160 cm	185 cm	200 cm	215 cm	235 cm
Height	55-63 cm	55-65,5 cm	55-67 cm	55-68 cm	55-70 cm	65-80 cm
Weight	135 kg	142 kg	149 kg	155 kg	168 kg	185 kg
Trip springs	6	6	6	6	8	8



SNOWSTRIKER™ 18-26 SFP FLEX

MODEL	18-26 SFP
Width	180-260 cm
Width (fully angled)	157-222 cm
Height	51,5 cm
Weight	190 kg