

Husqvarna W 70 P

W 70 P is a powerful industrial wet and slurry vacuum designed for the toughest jobs. This is achieved by using high quality stainless steel components and a special combination of filter and float that protects the motor. Where most wet vacs can only handle water, W 70 P can deal with liquids such as concrete slurry, oils and machining coolants. Recommended for concrete drilling, sawing, grinding and wall/wire sawing. Ingenious solutions make W 70 P easy to work with. Pumping out can take place at the same time as suction. Emptying is carried out via a large bottom valve for simple cleaning. The non-marking wheels are puncture-free and lock at the front.

- Phases **1~**
- Air Flow **200 m³/h**
- Rated input **1.85 kW**
power
- Weight **45 kg**

Article number : SLURRY VACUUM W 70 P

230 V | 1-ph | EU - 967 66 47-04



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Renowned durability

Stainless steel container, crush-proof hose, cast aluminium swivel hose lock, galvanized steel dolly and steel clamps for tight air seal are details allowing for a long service life.



Reliable overfill shut-off

The patented filter/float system provides maximum airflow and reliable wet shut-off in case of overfill.

Extreme pumping pressure

The powerful evacuation pump is capable of pumping the slurry 9 metres vertically or 200 metres horizontally.



Easy to transport

The welded frame enables easy transportation by resting the machine on the frame.




- Multipurpose use

- Integral stainless steel strainer

SPECIFICATIONS



Phases	1~
Voltage	230 V
Rated current	5,2 A
Max. vacuum	220 mbar
Rated input power	1.85 kW



Product size height	1250 mm
Product size length	600 mm
Product size width	570 mm
Weight	45 kg

Specifications

Air Flow	200 m³/h
Max. vacuum	220 mbar