$\leftarrow \ \, \underline{\text{HOME}} \leftarrow \ \, \underline{\text{DUST AND SLURRY EQUIPMENT}} \text{A 2000}$

Husqvarna A 2000





AIR REQUIREME NT



RATED INPUT POWER



WEIGHT

- ✓ Durable design
- ✓ Warning lights and sound
- ✓ High efficiency over time with two-stage air filtration
- Easy to clean HEPA filter

AIR SCRUBBER A 2000 | 230 V | 1-ph | EU Art nr: 967 67 22-02

GET A QUOTE

<u>Q</u>

FIND A DEALER

BOOK A DEMO

PRINT

Product details for A 2000

PRODUCT DESCRIPTION

microns, the air cleaner puts out superior air quality – be it when dealing with concrete dust, fine sanding dust or gypsum dust. It has two warning lights to indicate when the filters are clogged or leaking. Operates at two very quiet speeds. Thanks to the compact design, the unit is easy to move and transport. Non-marking, lockable wheels allows for easy transport.

× FEATURES

Discover all features and learn more about the benefits

SHOWING 6 FEATURES

DURABLE DESIGN

Lightweight cabinet with sturdy aluminium frame and metal locking casters. A metal mesh protects the filter...



WARNING LIGHTS AND SOUND

The yellow light warns of a clogged filter, the red light warns of filter leaks.



HIGH EFFICIENCY OVER TIME WITH TWO-STAGE AIR FILTRATION

A large filter area in combination with pre-separation give long operation time with high efficiency. A pre-filt...



EASY TO CLEAN HEPA FILTER

The HEPA filter is protected by a metal mesh which makes it easy to vacuum it without damaging it.



READY FOR DUCTING

Discharge manifold for the circular air exhaust is available as option.



EXCELLENT MOBILITY

The low weight, compact design and transport handles allow for smooth transportation.



× TECH DATA TABLE

Get full product details and all technical specifications

TOP SPECIFICATIONS

Product size width

Product size height

Weight

Rated input power	0.75 kW
Weight	38 kg

ALL SPECIFICATIONS A 2000	A 2000 230 V 1- PH EU 967 67 22-02
ENGINE	
Power source	Corded
MOTOR	
Rated input power	0.75 kW
Phases	1~
Voltage	230 V
Rated current	33 A
SPECIFICATIONS	
Air requirement	2,000 m ³ /h
DIMENSIONS	
Product size length	460 mm



700 mm

820 mm

38 kg

× RELATED PRODUCTS AND ACCESSORIES

Recommended accessories that fit this model



Accessory for **Dust collectors**

Rated input power

13 kW

Phases

3 ph

Grinding width

820 mm

Weight

533 kg

Rated input power

13 kW

Phases

3 ph

Grinding width

680 mm

Weight

500 kg

FILTERS

HEPA filter

Accessory for

Dust collectors

LOAD MORE (1)

× SPAREPARTS

Recommended spareparts for this model

FILTERS

Pre-filter

Accessory for

Dust collectors

Related support documents and downloads



DOCUMENT

OM. A 1000, A 2000. 2022-05

DOWNLOAD

DOCUMENTS

PDF	OM. A 1000, A 2000. 2022-05 767 kB - 5/9/22 - FR, NL, EN, DE	<u></u>
PDF	0M. A 1000, A 2000. 2022-05 823 kB - 5/9/22 - UK, TR, BG, RO	<u></u>
PDF	260 kB - 7/11/19 - ANY	<u></u>
	Didn't find your document?	

GO TO SUPPORT SECTION

LEARN MORE ABOUT DUST AND SLURRY EQUIPMENT



MAIN CATEGORY

ABOUT HUSQVARNA DUST AND SLURRY EQUIPMENT

Learn more →



ADUUT MIK JUKUDDEKJ

Learn more →



PRODUCTS

ALL DUST AND SLURRY EQUIPMENT

GO TO FULL ASSORTMENT

















DIAMOND TOOLS POWER CUTTERS CONCRETE CORE FLOOR SAWS DRILLS

TILE AND MASONRY SAWS WALL SAWS

WIRE SAWS

CONCRETE VIBRATORS

YOU'RE AT HUSQVARNA CONSTRUCTION

Dealer locator

Contact us

Facebook

Instagram

LinkedIn

YouTube

Privacy notice

Terms of use

Report Suspected Violations

© 2022 Husqvarna AB. All rights reserved.