Husqvarna PG 280

PG 280 is a single disc floor grinder that you can quickly convert for edge grinding on both sides. It efficiently grinds adhesives, paint, epoxy and spackle. With a grinding width of 280 mm it is suitable for small to medium concrete areas. Designed to facilitate an ergonomic work position, it is easy and convenient to use. The machine is light and compact and therefore easy to transport and set-up.

● Output power **1.54 kW** (As rated by the engine/motor manufacturer)

№ Grinding **280 mm**

width

Phases1 ph

Article number : FLOOR GRINDER PG 280 220-240 V | 1-ph | 50 Hz | EU | 2-pin - 967 64 87-01



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Quick conversion to edge grinding

Easily removable lid covers and wheel setting enables quick conversion to edge grinding on both sides. No tools are required. Allows an upright work position.



Easy removal

Offers efficient grinding of adhesive, paint, epoxy and spackle.

Easy to transport and setup

The machine is light and fits easily in any car thanks to the compact design and foldable frame and dividable parts.



Easy to use

The speed is fixed and no settings are required. The machine also has an user-friendly logical control panel with overload protection.



- Efficient dust management
- Time saving tool change
- Ergonomic working position

- Redi Lock®
- Hour meter
- Keep track of the edge grinding lid

SPECIFICATIONS



Output power (As rated by the engine/motor manufacturer)

Rated current 13 A

Voltage 220-240 V

Phases 1 ph

Pins 2-pin

Frequency 50 Hz

Dimensions

Product size length
Product size width
420 mm
Product size height
Weight
420 mm
72 kg

Other

Grinding width
Grinding disc diameter
Grinding disc speed min
Grinding disc speed max
Grinding pressure, max
Direction of rotation
Number of grinding discs

280 mm 280 mm 0 rpm 1410 rpm 27 kg One Direction